MoM Glossy Umberto Asnago 2024

PENTA

TECHNICAL SHEET

1602-26 TALL

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro / Glass
Voltage: 220-240V 50/60Hz
Source: Bulb 1 x 10W - E27 LED
Cable RAL: 7013

1602-27 SLIM

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro / Glass
Voltage: 220-240V 50/60Hz
Source: Bulb 1 x 10W - E27 LED
Cable RAL: 7013

1602-28 FATTY

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro / Glass
Voltage: 220-240V 50/60Hz
Source: Bulb 1 x 5W - E14 LED
Cable RAL: 7013

Rosoni / Canopies

0811-92 CANOPY TYPE A

Mounting: A soffitto / Ceiling
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz
Lighting Control: On-off / Dimmable DALI

0811-93 CANOPY TYPE A RECESSED

Mounting: Incasso / Recessed
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz

0811-97 CANOPY TYPE A RECESSED LITE

Mounting: Incasso / Recessed
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz

lampade installabili su piastre type A o Rosone Barra type Z
lamps installable on plates type A or Bar canopy type Z



Finiture / Finishes

Vetri specchiati / Mirroring Glass

Nero specchiato
Mirroring black

Oro specchiato
Mirroring gold

Bronzo specchiato
Mirroring bronze

Rosoni / Canopies

Metallo verniciato nero opaco
Matt black varnished metal

Metallo verniciato opaco titanio
Matt titanium varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

MoM Glossy Umberto Asnago

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1602-28-0021-N2BE	fatty suspension		bronzo specchiato / mirroring bronze	
1602-28-0021-N4BE	fatty suspension		bronzo specchiato / mirroring bronze	
1602-28-0016-N2BE	fatty suspension		oro specchiato / mirroring gold	
1602-28-0016-N4BE	fatty suspension		oro specchiato / mirroring gold	
1602-28-0015-N2BE	fatty suspension		nero specchiato / mirroring black	
1602-28-0015-N4BE	fatty suspension		nero specchiato / mirroring black	
1602-27-0021-N2BE	slim suspension		bronzo specchiato / mirroring bronze	
1602-27-0021-N4BE	slim suspension		bronzo specchiato / mirroring bronze	
1602-27-0016-N2BE	slim suspension		oro specchiato / mirroring gold	
1602-27-0016-N4BE	slim suspension		oro specchiato / mirroring gold	
1602-27-0015-N2BE	slim suspension		nero specchiato / mirroring black	
1602-27-0015-N4BE	slim suspension		nero specchiato / mirroring black	
1602-26-0021-N2BE	tall suspension		bronzo specchiato / mirroring bronze	
1602-26-0021-N4BE	tall suspension		bronzo specchiato / mirroring bronze	
1602-26-0016-N2BE	tall suspension		oro specchiato / mirroring gold	
1602-26-0016-N4BE	tall suspension		oro specchiato / mirroring gold	
1602-26-0015-N2BE	tall suspension		nero specchiato / mirroring black	
1602-26-0015-N4BE	tall suspension		nero specchiato / mirroring black	

MoM Glossy Umberto Asnago

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
0811-92-1800-NXBE	canopy type A	titanio opaco / matt titanium		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-92-0100-NXBE	canopy type A	bianco opaco / matt white		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-92-1100-NXBE	canopy type A	nero opaco / matt black		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-92-1800-PXBE	canopy type A	titanio opaco / matt titanium		dimmable DALI (Include interfaccia DALI compatibile con lampadine dimmerabili / Includes a DALI compatible interface for dimmable bulbs)
0811-92-0100-PXBE	canopy type A	bianco opaco / matt white		dimmable DALI (Include interfaccia DALI compatibile con lampadine dimmerabili / Includes a DALI compatible interface for dimmable bulbs)
0811-92-1100-PXBE	canopy type A	nero opaco / matt black		dimmable DALI (Include interfaccia DALI compatibile con lampadine dimmerabili / Includes a DALI compatible interface for dimmable bulbs)
0811-93-0100-NXBE	canopy type A recessed	bianco opaco / matt white		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)
0811-97-0100-NXBE	canopy type A recessed lite	bianco opaco / matt white		on-off / dimmable phase cut (Phase cut con lampadina dimmerabile e impianto compatibile / Phase cut with dimmable bulbs and compatible wiring system)