

TECHNICAL SHEET

1901-30

Mounting: Applique / Wall lamp

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60Hz

Source: LED 6W

Color Temperature: 3000K / 2700K

Lumen: 286 lm

Lighting Control: Dimmable phase cut



1901-30



Ø12.6 x H8

Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Oro opaco
Matt gold



Bianco opaco
Matt white



Bronzo opaco
Matt bronze

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1901-30-0100-DXNE	wall lamp	bianco opaco / matt white		dimmmable phase cut 3000K
1901-30-1100-DXNE	wall lamp	nero opaco / matt black		dimmmable phase cut 3000K
1901-30-0600-DXNE	wall lamp	oro opaco / matt gold		dimmmable phase cut 3000K
1901-30-1600-DXNE	wall lamp	bronzo opaco / matt bronze		dimmmable phase cut 3000K
1901-30-0100-DXWE	wall lamp	bianco opaco / matt white		dimmmable phase cut 2700K
1901-30-1100-DXWE	wall lamp	nero opaco / matt black		dimmmable phase cut 2700K
1901-30-0600-DXWE	wall lamp	oro opaco / matt gold		dimmmable phase cut 2700K
1901-30-1600-DXWE	wall lamp	bronzo opaco / matt bronze		dimmmable phase cut 2700K