

TECHNICAL SHEET

2504-20 MINI

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Vetro / Glass - Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: Nero/Black (3000K): 136lm - Oro-Argento/Gold-Silver (3000K): 211lm
Nero/Black (3000K): 122lm - Oro-Argento/Gold-Silver (3000K): 190lm

Cable RAL 9005



2504-22 MICRO

Mounting: Suspension

Environment: Indoor - IP20

Materials: Vetro / Glass - Metallo / Metal


Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: Nero/Black (3000K): 142lm - Oro-Argento/Gold-Silver (3000K): 221lm
Nero/Black (3000K): 128lm - Oro-Argento/Gold-Silver (3000K): 199lm

Cable RAL 7013



Rosoni / Canopies

1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60 Hz

Lighting Control: On-off / Dimmable 0-10V / DALI /
Phase cut



1704-91 CANOPY TYPE B RECESSED

Mounting: incasso / recessed

Environment: Indoor - Dry location

Materials: Metallo / Metal

Voltage: 24Vdc



1704-92 CANOPY TYPE B RECESSED LITE

Mounting: incasso / recessed

Environment: Indoor - Dry location


Materials: Metallo / Metal

Voltage: 24Vdc



NOTE:

Remote driver not included



Finishes

Glasses



Vetro specchiato
Mirroring silver



Oro specchiato
Mirroring gold



Nero specchiato
Mirroring black

Structure



Nero opaco
Matt black

Canopies



Metallo verniciato nero opaco
Matt black varnished metal



Metallo verniciato oro opaco
Matt gold varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:

Tutti gli apparecchi di illuminazione possono essere venduti esclusivamente con i singoli rosoni, con le piastre multiple o con i binari a soffitto.

È vero anche il contrario: rosoni, piastre multiple e binari a soffitto non possono essere venduti separatamente dalle sospensioni.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: sospensione + rosone, sospensione/i + piastra multipla oppure sospensione/i + binario a soffitto. Qualsiasi installazione non autorizzata non sarà ritenuta conforme. Verificare la dimensione massima H nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
2504-20-1113-N2NE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 3000K
2504-20-1113-N2WE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 2700K
2504-20-1113-N4NE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 3000K
2504-20-1113-N4WE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 2700K
2504-20-1116-N2NE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 3000K
2504-20-1116-N2WE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 2700K
2504-20-1116-N4NE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 3000K
2504-20-1116-N4WE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 2700K
2504-20-1115-N2NE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 3000K
2504-20-1115-N2WE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 2700K
2504-20-1115-N4NE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 3000K
2504-20-1115-N4WE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 2700K
2504-22-1113-N2NE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 3000K
2504-22-1113-N2WE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 2 mt 2700K
2504-22-1113-N4NE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 3000K
2504-22-1113-N4WE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	cavo / wire 4 mt 2700K
2504-22-1116-N2NE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 3000K
2504-22-1116-N2WE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 2 mt 2700K
2504-22-1116-N4NE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 3000K
2504-22-1116-N4WE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	cavo / wire 4 mt 2700K
2504-22-1115-N2NE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 3000K
2504-22-1115-N2WE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 2 mt 2700K
2504-22-1115-N4NE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 3000K
2504-22-1115-N4WE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	cavo / wire 4 mt 2700K

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off (Driver incluso / Driver included)
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimmbale 0-10V (Driver incluso / Driver included)
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off (Driver incluso / Driver included)
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimmbale 0-10V (Driver incluso / Driver included)
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off (Driver incluso / Driver included)
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimmbale 0-10V (Driver incluso / Driver included)
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimmbale DALI (Driver incluso / Driver included)
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimmbale DALI (Driver incluso / Driver included)
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimmbale DALI (Driver incluso / Driver included)
1704-90-0600-TXLE	canopy type B	oro opaco / matt gold		dimmbale phase cut (Driver incluso / Driver included)
1704-90-0100-TXLE	canopy type B	bianco opaco / matt white		dimmbale phase cut (Driver incluso / Driver included)
1704-90-1100-TXLE	canopy type B	nero opaco / matt black		dimmbale phase cut (Driver incluso / Driver included)
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		Driver remoto non incluso / Remote driver not included
1704-92-0100-NXLE	canopy type B recessed	bianco opaco / matt white		Driver remoto non incluso / Remote driver not included